

Anisophyllum L'hantane Codex Linneanus 123.464 Municipala 3508 E. hypenirifolis India 3509 E. maculata Anget. Brown Jam. 236 The alm 372 +. 65-1.8 Hoan Jam. 83. 3510 E. hista India - I some es met of I o 3511 C. p. lulifern gadin O Schotoma fol linear. substant. Brown Jam. 235 3512 E. hyssoprifalei forming! fl. farrialet terminel. 3513 [. thy miple: provincen, fol somet out-obling contitles ax. Mant. I'lak alm 372 t. 113 fg 2 - Ilants glabra vor S. Burn Jeyl. 225. t. 105. f. s. puley India 9 La Cater J Don's entrogre 3514 E. paniflorn fol. zernt glib. oblong. H. solitan. men erestienste Barn jegl +-105. f. 2. O Ambi 3515 C. camos etspannis O 2016 E Chamierger Com. auth. Siling Mesopot o 2517 C. Peplis Hispan. 0 2518 P. polygomiphlei Quel Myriais O Benot. 1897 Willsenow. Sp. Menten vol II. 2. p. 881.

338 - E. glabrata Sw. James in ets of Tother and Trhe Jymb, 2, 5-3 36 38. runeita Valel André 13 gester fol oblong. oblies shlegerming 38 C. Cacoigata vall. to Ind. orient. prouvel alares 239: 1. originaises Lin 4 Dus Assension flaumat. votes \_ oral pariocal Sil. oud integer umbele Ferm \$40 !C. Atolo Fort Sus Soviel. 41 C. hypertile a das orins



42. E. prostrets A'L Kew. 2. p. 139. @ Such occidalet i fol oval obsolete semt pedemer, axill. Detrifter - folking glebra Inpere viridi sell. Glemerespentes, petale prespersea 43 l. rosea Olef. obs. 4.26. O Indi orient\_! Affersa, fol oboral oblig. bari subsorbal gjire det alt, pedening innifloris aprilloriber. Setale obtes. rosea i gemen propollosam, rapsala glabon. 44 Commentats & Am septent. s. miles kypenst splear 45 S. snordripleis Jung. ir. sav. t. 476 o Africa petala trumerate destate, styli brevili. rafel histork 16 [ piets Jarg. ir. son. +477 4 In soula Occupala 47 C. hirts Gardie 48. P. polluliforn o Judia germen puber seus. Leur. Enoyel. 2. p. 420 49. C. Com ili auxin den so E hymphi 57 C. thy miphi 52. C. paniflorn Ansh. sh l. Ohnnesy or 55. C. grammlater Wahl Symb 2. p.54 fol. integering sollong; flor. solitan; Sielv: fol. publica. reps. villos Forsk deser. 94: fol oblog ruteg. . Aral. felir St Epples 17 C. polygomfiles 52 E. Creanis Auf. des. 2. p. 32 14 Comp (6 & inderivate whe Synd . 2. p. 5% of MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

4 Caplandi Lamark lung rloped volt (1790)
mystific Hook - stocker stare )
mystific Ling famin forstante p. 419 i Nº 20 lugh, mystifolig Lam. - Poph. Fithy werlowers Li Currowa . 421. M 26 Clawigata Lan. plis oppositis, referents aldernis Amil. ovito Cameltis lacoiles likegerning Havingat, och = lawis Voi fish NANA samean allern, attibules, feuilles, mud dans lea patie irfinieure. Jeenlle, un pen petiste et å nenveres letti sales præsque frans verse, peti les jeunes fervilles un per velues en dessous. flews ferminales solitaires (par de petiles) ovaig tommelen . sur les voites, Ais, Comenny. N. 27. P. ashirelat, 28. l'emxifales commune aux Antilles dun les Sables des nivages de la men. 422. 29. P. onganviles L. Arrension 20 1. hypens ofthei L. 2 S. manulati 31 l'apriluts = pileulife. 423 22. E. hymopifhis Jami'r & Fourings (Anitophylle Han) Birhotomer falis's suborenation linearities, fl. fasorstuleter teneralibus, much erato "Li. - dicholow enite leaving for linearity fl. quen'ambillety faminally Brown Jamain 235. 22 P. thy wifeli. Les on & Bourbon 24 indra polalifera 21- Ameriliansis Pravionalis terrandololos l'ovaire change de poils blaces invol, appliede all orbetulat. 36 mirrophylla, ramon's men d'éfana fol opp. out stegente st axill semil aggreget. and folijon modient finites velues sur le dos 1-1/2 lin les problementes

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

Lundruphylle Aoth - Heymian for Je Serpen Hook ] p.423 N. 37 Egoliana, lighosbe du Jol. suffrulisore ramonting fol opp, rotundet gleb. basi i nægene fl. monosiris sbringalig s. farviordatis (2-3 ensamble) diffur étalé en toufe, 6-7" hand tige d'époissem D'u plan à écrire, l'été pour les, samfistations très cassantes femilles presque entrères Isla de Bourbon, ang envoron du Gol près la men dans le sable 424.38. L'havrifton Li, nous pasuit se rapproches beauron de l'Eigh. hyp. 39 P. salur ei ordes Indon. 40 / nur pe 41 P. chamaergre 42 Peples 40 l'Ablygon folki dam. Engel. routes puf. L'Mloiset replod II. (1811) MISSOURI BOTA GEORGE ENGEL Note Cuph. dichotomen Forsk = Peplin Li p611: N. 116. P. glabrate Blevan, Vahl. 612 121 Elevis & Placongate Orbe Lynd. 2 p. 54 11 potessan samosa fol oppos. Alongis obtesis integennin ! vihl. on'ent. 122 P. prostruta Ait. " Ind overily. "Ail 123 l'i rosea Ref. rapsule rouvette, dans sa jemmesse de petites évailles qu'élle pend en minissant. Le on 413 125 1. Lounton, Vin MISSOURI


copyright reserved cm

BOTANICAL GARDEN

gleberninis i Tegri He submermosis ax lands to? Senegel. - Tiger élannées, fantle, longues provoc obtuses à leurs deux extrements un pen micronier. A. axillaires disposers en petitig 128 l'quandelle Fonk. 129 P. Cheanis Ref. Isle St. Thomas olepa Ledn Rephorbies moins ronnues E. Atoto Schotown fol oval rategerminis, umbella ferminali Forth Rod 1207 Ins soviety P. glemophylla dichotom, umbella subtrifida fol ovites basi obliquis mucronitis gladicis substitégements Pers Jyn. Sanegal. Coplethelin Commen Hest. Pers Lyning humifuga fol oppositis laureolation ovitis obliques shitigues nærdetti fleglommter. Rio Jan. BOTANICAL GARDEN Port suppl. vol V. ENGELMANN PAPERS p. 676 Puphorti prorumben, De Can rail. numerosi, prorumbentebu, apire histelle; dichotomi, folici, oppor. ovali-subshoubeis deuteti seltes, selles, segeme forre marreleti, flor rapitulis binis formuleton ped muntetter, repulis puberruitibes. Patri ignot &C. Cetal Ahr Monsper. [= derumbers wills fit star provides Phillers - Capal Kudura van fir Stable face Munths Merries. MISSOURI BOTANICAL

copyright reserved

GARDEN



Benc: 1/4/ 5. a Serron Lynopsis II. 1807 p. 13. N. 50 Eigh. glanophylle Songel. 17. Can omptylle Lam eur Ind on. 12 P. goliana dece. cur. Bortonia 59 P. ophth clamin Commens - Ho. Juss. Min Jan.
fol. opp. lamo leto - one oblis integri. Hon 54 Esatureioides follower convention integer glad. Her subfiserioulate terminaline India 56 Lto menton Singel He Camed Daniel 57. camalestate - meda lam ear. Catagina 58. manlets Jung atten. seplent 19. Soortifle ureed Jung. Africa 66. Britiensid Lane. The hyantol T 67 hymopitalis d. Ammin 68. Hymitel. L. Barr & Bount

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

den por. 14 ve by parvifon Li heri zo rumsing: L. Hispania Sti Champer L. Emp Silin 72 grundets voke Forsk Arle. 20 Apolis 74 despille foles 24. Amon, ralid. i Hb. Thibank. fel ovel. retur apræ oremelatis, raps. glen. solitan ax. Clan. 75. polygrift L. Came vingi 76 Circanis Ref. A Chy 

GENEGE EMBELWAND FACES

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

5. C. aphorbi C.H. Terroon Synopsis volt 1807
p.10. p. 12 33. P. helerophylls Grees.

34 C. oyathophon Dary. 40 P. Cahenin Ref. Artill. Vera Cong 42. Placoigates vall 1908. 2. 54 Fad. orient. futesnes ranon fol opp. oblog oblig avenir i utrgemmi, Folis murrone minute terminats avenin glavera vinisia. Pedrumeli i Niho tomia solitani, 43 P. glabrut Dev. nom læckerrit Sw. 45 Conjanoves L. 46 1 Atoto 47 l'hypenoux 48 (. portul 13 49 10 rosen so Glamophylle Van . Dicholower mub. subtrifish fol ont basi oblig. murromaki glaceri, subjategemmen, Lenegul paps, gleb. I'm soplegly 12 golson 10 ophthale in Ten humjur et see lyte. Lamber Six 84 Satureins Ci.,->1-1 16. tomtorg den Tenegil 58 man late sy som foli Jany. 6, hitz Li be pulatifu 66 Obmilien, 68. They wifeli 14 69 parnifler. 20 cano,

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Output

Copyright reserved

#14 no 71 Chamsyore
72 gran late Orce Forsh 6502 7) Reples 74 serpyllifelig de schotoma prorumbens fl. solitaris axillaribus, fol oppositis ovalibus vetusis apira cremulatis; caps, conicis glabris, Alab : Am. al. Nori Herl. Thiband. Tarvula + 75. polygonifoli 76 Chemi

> MISSOURI DOTANICAL GARDEN GEORGE ENGELMANN PAPERS

Dietnich Lynops. Mant. Vincanie 1852 V./, 315 39. Cartifolde Lem. 7 Carile. 55 P. glabrates Valle Cooks. C. Curifolii Len. P. Gtoralis HOR 62 l', solundifolier, Hook & Arn fol opposit emargies corde carnos, glab H. paris Lemeine andelle of Conception 65 8. mystifilis HX As to Pandwikis pl. post obsertet sent and post felicitis ax ill. partification [ Ithornis Stend. I Refer the mystification. by C'elisineplia HXX. of Sunder the pleelist dotter Totegemin's glubnis, pud menten akollants bifino Es E. meltiforming grand the of Sandrach . for oppose ellight often , stegen. Glabris, flor solisten. 79. L'acrigates valle 24 And, or. on will most. 80. C. tannens is Spr. 2. In i'ms. Janna - fl spatter lat - landol oblies. neurond, subrepant. pedreur I-floris 81 C. fimbriata Acht. rampilos. fil contre out, angul seme villes involver Carinato - flubriale raps villes & Ind 82 E. marulati - -/ caps. leen! 83 C. Mordifolis Jary. C'nutau Ly in West. Endis 4 84 C. mularhophylla Clark Cypin, 4. involver Carinery flood spiles Lichmunger? 8.7 C. Huguina for. fl zlubani, samt oblasis only

A. solita. 7 = 8. mitrophyla Roth 7 20 C. Commont North In In. go Epanoflom Lin 97 (Ciacani Act 120 orri). höckle know of . All I leave and 107 Promise Actt pilon reproller. De obort ofter oblig, utegening vlomtig I-bles allati 4 Indon 108 f. rater merlander HOSK Caba 24: 109 f. suptlefolie Pens. E. serpens HOR, Cemmana 4 110 Corbitalet ## M. 4 Avgette

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

111. I. rallihichenden Hook now tispan y 112 P. Lenella HOSK cosnoro 113 P. Alexanor HODB person Intimeting! 3 114 8. ammannsoder 178011. Commen y 115 1. veniformis Alum Java 4. villosa provants fol oval oblig. seml (green's Mhotomis axill. 121 f. hists Lis tomentos las And or 24 127 Constate Ath willow, fol allige or It. subsoland offices Dessulate. spiris peduar lets ferminalit. Isal dens some substate; moder apper. plante - multiple 131 P glandaphylly bees same virget for Alliph, often museen subsection for formally - 1. Caevis Pris. Molecor O, 122 C. Osesteriana Ball. mais puby strict foldeg. ferniel, obles semble for finitelle ferniel, braite & gundle p. 0. Runonssmu glebru, fl Tjærið. 139. A. prostruts Ail petrolet ellipt. obter subservelet Ill glans. pedmer ax ill. Mysama vorthor CARDEN Sel. or. O 124 l'Agram Tom 125 l'agram Tom 125 l'agram Ach sam pleared pedres axiller agrifferig 156 P. mirrophylle Li Find. or. De puleurs, planique subtres villouisere contacting integering, fl. ax ill aggreget senit. I E. mirmphylla is Lemukja Le. Aott., Sothfor Bedie, the Cetter = Alexanisque so about 87. 197. C. saturioises Lam mis filifor. glaborest. fol, spatheles line and, obtes insert. - Actemine. forstelle 138. S. Novina HOSR Bafrance 139. E. Kasiliansis Lans = 5. optithelenta Con MISSOURI


BOTANICAL copyright reserved cm GARDEN

6 Anisophylleur, L'étantime. 140 8. thy wifler on plan fil oblog semb, glomentis flom pedmenteti axillanión. 6 du. on 141 F. publin Ødlum v raule subsimples, fol oppos. Cinewi lanosolal, Lerralal, pubeso, eymis d'instan-axill. 1143 E. Tenuis Hamill umbell ax. ll. b.f.J. fol oppos. petiol ovet oblog, oble. send, sibling om mule ramorishe Decomments phasitissin. Repol 4 144 1. rongenem Blum, Turn It fl. oblog, and thomy bori som words, and this sublified is axillen æfen-inlate. Navels nomer Cater &. 2. 1841 contem, besides the clave. 1. ambien Hochst. Slend. 4 and. 1. attimulater Burn. Lam. of Cant. pateni? S. begom re foli: dehm. hat. Haml. 1. rondata magen. Je den dentrich Binb. James C. ment, gut. 7. Hours E. platifin son Jpm. 1. Demban wiles & Adrorais. I. nod floor sem. ! C. vertis illate Armb A. flower. MISSOURI BOTANICAL

copyright reserved

GARDEN

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



1) Enjekalin - And Alexante vil IV. 1856 py 135 Reptoren light Contyples Brilles Light, Milanadenin Fort, vol It. 1853. Capel Popps Bolos p. 174 Eigh, Akmmen E. & Jr. L. Gegers' Vegel. Et brightis Long Gr. nov. spec-7.175. P. D'Catali E. Fendleri Mel V. 1856. Williamson Botans p. 364 E. albomangs hat Tow of E. polyragen Obenth. E setilobe lagelin Hermann' Solany pg. 15. Eigh. orellet u.s. Dummed & Hilgand Vol. VI. Navbergi Reput pg 88. Ceph. maarlate ? Lie. Fort Delles itrode ? U.S. & Mex. Bounday in II. 185 et. 1 2 3 4 5 6 7 8 9 10 copyright reserved

GARDEN

cm

MISSOURI BOTANICAL GARDENT GEORGE ENGELMANN PAPERS



Walp. Am. III. 356 ex Linnaer XXI. 721 Eigh. Cassocarpa C'Hoch i Oriente Divaniente pilosa folis Topposita oblonga sessilia i uperion ex meder ad besen augustiona et integra supeniona vij semulata i flores i dicholomes Folkeni' anthodi discri obloggi stipitati, lacianis melte mejores; germen albo-villoseum. Ad Tittganelen pertiaal. Crest i Oriente. # 358. P. convoluculous Hocht. ex Bent. - Hook A. n/g 499 perbosen stipulate postrate, satinis villasis folisi velde oblegen; værsinsvale; supervisisk pare piloni sultin adpresse lometoni. Honik i repitals ax llavia serieles nun i samuels breves foliatos abeautia confertir - . sem, subtetra gonis Fransverse negotig III. 358. l. inregerilaters Sonden i dinance 23. 165 105 Annua d'fun glebre embrétis debilitér (1850) auguletis subramosis, stipulis scharers polis oppositio bravismine petisleter obovets-oblongis obliges bus inægenilateris, mangine rufenon autorique aoute demiter, many sup. subjutigenshur vel semidente for axill. wlif - rapsule sembitusque lacorten globis. - Post Natal queinstro 164 #. 258 E. Gegen? Kyl MISSOURI

BOTANICAL copyright reserved GARDEN

USG III. 359 Eugh. Klobschiana Mig. Stirp Lurir, zelett. 95 tab. 28. Erects hamilie, bæzi suffrut. vosa racterum herbacea, vanle our petrolis pleisque infendribus subtres subretrosse villosulos, surrum samosa glibra, fol oppos. inferioris 2 hyporioster brow. petrolatis oblongis aout. En oulis, bes. vidi innunter inneg, rordat. sub-5- nervis, totis sembletis, Tymnes Connectets for glabris, informació subrymosa, ilobis, nortura pringre (!) coptaning a robusti. reflexis, suterionts lawredet tentonikais repula ovarde glaben. I kuniname Polligern Scham Liam XX. 728 e Myrir 1. 6. 0? rankt, numeroris arrabetts enet; fol subsolute - ellipteris oblanis out " vix antiurrulis, velde obligues auguste " sembles glavis adpresse pilosis Man solitan, i nool. glabe. glad 4 ægent trærverse ovel, rapsule petoss submillosa. Everena Hook fil i Amont Li lor. 20.18 T. 6/19. herterna enette glabernima glaverres pe off. sinil brean's obling. best condities seturis pul emanyinatis recursis coniareis
strpulis findinatis in and axill plements
solitar & Chetham Isla Gellapar - gangles spoc. Aurum Lamplexitation Hook fit ibides glabernina MISSOURI

copyright reserved

BOTANICAL

GARDEN

6506 folioso, fol opp. sessil konigortelets patenthy seniformibus consti auglepide, ihlegennecontareij, involutionis i axillis supremis Le Toltenis, segment pelebord. votundetig vooris obtien varinatis 4? Chatau isp 7. E81.9 . C. neumelani Hook fil i his l. n. herberea modliter puterren, værle enet berighte Space Adding : sami Svaniratis, fol panvis constit solutis soliquis, stipulis pasuis laceris, involver terminaliby solitaris, semilibry publisher semilibry publishers their caps probern. Chithum islan. Esterne Hef. ihr herteren glabernima , 62 ramesire dehoton. samis prostration Congeti fol linearitus sateralis jalegenings besi profunde obligue rond tis tipulis Bubulati, involver pan. solstan axillan Reguceater rannosis O? Albemake island. S. vimikea H. J. N. r. Glalemina rade 1 Tours elongite lignoss divaniration samoso spenne folovsis, folis i samulis brevisishing ronfertis ornssis auguste likeavilus vel at apires d'attas emagiaetis, utriaque rotundels mangine rerurvis, strøder Majusrulig late ovatis, involver, parvis solitaris axillaris 4. Albemarke et las.

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Output

Copyright reserved

and the server of the server o Lacein copy of the Copy of the Sail The first of the f Andrew Market Comment of the Comment income for the first of the formation of de l'échien . L'en l'en en le mandre le l'échien. many in the second of the second de ong other is for the construction of the construction is the construction of the construction in the construction in the construction is the construction of the construction in the co Mora weren house of experience 1. voimen Holes och gelemine oute clougate dipasso in a recover games stricted with the strict of the same Money begins in language in some of the property in trapatio correr de Concanibre out est apour solder emaginette chiregen solas et margine second : the bolis day tele en the property of the second 

MISSOURI BOTANICAL copyright reserved GARDEN

8. Enphalis - Wilgers Annales vol I 1849 pg. 613 vl 45.2 box III 1853 / 353-I p 616. E. Elligera Schem Linn 20. 728. Mexito 619 E. nummularin Hook fil. Thatsact. Lin Son. 20. s. 183. Chatham Islan. ampleximelis itis. itest (overit beløg hen?) C. riffusa ibre. Albernarde vila. C. viminea Paureps Bull. Bot Tagl. 162 Mexite = Congunides Hook & Am. Bol Beek. 310 non Li = doin Linth! bev C. platy Capis Dre : Long. Vog. 11. 156. Feb 15% Tuli septax III., 356 E. Cassioraupa C. Koch at Fitty and putint. (Klofsham)
358 C. comolunder to Hochst Mss: Benth i Hook Nig Flan. 499
C. inaequi Cetern Soula Linea 23. 165. o Port Matal I-gegen lingel.
259 (. mps vola Schule (= Fenden Inage)
E villigen Schule C. Hlogschiam Mig. Stry. Suriam selbert. 95. til 28. Eflexionalis khale (= sergen, kth)

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Output

Missouri

Botanical

Garden

MISSOURI BOTANICAL GARDEN

GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

• •••

Lyhorbie polygonispenna God & gren. Her. Kan III. 75. – A new stipulet. Englandi glavor prostret.

Cape Corse à lury. – Glabornina, folia. sovalo-oblongis obligues puntita pelleerid ;
integnis s. aprice servatio stipulis setares - inboluoris solitanis alanibus, gladlis pupular augulis rotunditis; sementiber, trizoni, glabini. E. Chimisgen has larger, 3 toother gland, shamangler rapseles, seed 4 angelen, negoze



MISSOURI POTANICAL GARDEN GEORGE ENGELMANN PAPERS

